

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6366025".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/18 16:31
S1	81	(element or diode) same (TFT or transistor or switch) same (power near2 source) same ((size or width or length) near2 (TFT or transistor))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:26
S2	944	(color or pixel or display) same (size near2 (TFT or switch))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:53
S3	172	S2 same (altere\$5 or chang\$5 or designat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:54
S4	0	S3 same (emissive near element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:54
S5	11	S3 same element	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:56
S6	37	"w/l" near4 (transistor or switch\$5) same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:56
S7	188	(size or width or length or w/l) near2 (TFT or switch\$5) same display same element	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:27
S8	54	S7 same (color or colour or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:39

## EAST Search History

S9	991	(size or length or width or w/l) near3 (alter\$5 or change\$6 or flactu\$5 or different or vary or vari\$5) same (TFT or switch\$6) same (color or colour or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:41
S10	99	S9 same element	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:52
S11	113354	el or elctro near lumines\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:55
S12	22	S11 same((tft or switch\$6 or transistor) near (length or width or w/l or size) near2 (vary or alter\$5 or change or smaller or larger))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 12:57
S13	722	(size or w/l or ratio) near2 (tft or switch\$5 or transistor) with (color or colour or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 13:08
S14	297	S13 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 13:08
S15	73	S14 same (change or chang\$5 or alter\$5 or adjust\$5 or amend\$5 or fitt\$6 or redone or reshape or differential or contrast or diverse or mismatch or offbeat)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 13:38
S16	1472	(color or colour or pixel) near4 ((tft or transistor or switch\$6) near2 (alter\$5 or change or vary or vari\$6 or different or adjust or reshape or contrast or offse\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 13:43
S17	325	S16 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 13:43
S18	59	S17 and (el or electro near lumin\$7)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 13:49


## EAST Search History

S19	3614	driving same switching same (TFT or transistor) same (color or colour or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:17
S20	1803	S19 same element	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:17
S21	1933	S19 same (element or diode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:17
S22	653	S21 same power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:18
S23	27	(size or length or width or width/length or w/l or adjust\$6 or amend\$6 or reduc\$6 or offset\$6) near3 (TFT or transistor) same S22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:27
S24	8256	(el or electro near lumine\$6) same (ratio or width or length or w/l or width/length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:28
S25	454	((el or electro) near lumine\$6) same (ratio or width or length or w/l or width/length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:29
S26	76	S25 same (tft or transistor or switch\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:29
S27	2900	(TFT or transistor or switch or logic) near2 (different or alter\$5 or vary or vari\$6 or chang\$6) near3 (width or length or ratio or w/l or width/length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 17:23
S28	47	S27 same (color or colour or pixel)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 17:23

## EAST Search History

S29	485741	(width same length) or (w/l or width/length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 14:27
S30	9938	S29 same display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 14:27
S31	1051	S30 same (TFT or transistor or switch or logic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 14:28
S32	161	S31 same (different or vary or alter\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 14:36

Day : Saturday  
Date: 3/18/2006


**PALM INTRANET**

Time: 16:29:55

**Inventor Name Search Result**

Your Search was:

Last Name = YAMADA

First Name = TSUTOMU

Application#	Patent#	Status	Date Filed	Title	Inventor Name
<a href="#">06124229</a>	<a href="#">4348225</a>	150	02/25/1980	A BATCH PROCESS AND STATIC-BED TYPE APPARATUS FOR REDUCING IRON ORE	YAMADA, TSUTOMU
<a href="#">06124937</a>	Not Issued	164	02/26/1980	METHOD FOR MEASURING REDUCTION RATIO IN IRON OXIDE REDUCTION PROCESS	YAMADA, TSUTOMU
<a href="#">06404128</a>	<a href="#">4462793</a>	150	08/02/1982	ROTARY KILN AND METHOD OF USING SUCH A KILN	YAMADA, TSUTOMU
<a href="#">06532570</a>	Not Issued	161	09/15/1983	SMALL ARTICLE PACKAGING CASE	YAMADA, TSUTOMU
<a href="#">06776527</a>	<a href="#">D296988</a>	150	09/16/1985	SMALL ARTICLE PACKAGING CASE OR THE LIKE	YAMADA, TSUTOMU
<a href="#">07155486</a>	<a href="#">4858393</a>	150	02/12/1988	METHOD OF DYNAMICALLY BALANCING CYLINDRICAL ROTORS, AND DEVICE FOR CARRYING OUT THE METHOD	YAMADA, TSUTOMU
<a href="#">07272053</a>	<a href="#">4886246</a>	150	11/14/1988	METAL-MAKING APPARATUS INVOLVING THE SMELTING REDUCTION OF METALLIC OXIDES	YAMADA, TSUTOMU
<a href="#">07278203</a>	Not Issued	166	11/30/1988	METHOD OF SMELTING REDUCTION OF ORES CONTAINING METAL OXIDES	YAMADA, TSUTOMU
<a href="#">07298048</a>	<a href="#">4956015</a>	150	01/18/1989	POLISHING COMPOSITION	YAMADA, TSUTOMU
<a href="#">07403058</a>	<a href="#">4940488</a>	150	09/01/1989	METHOD OF SMELTING REDUCTION OF ORES CONTAINING METAL OXIDES	YAMADA, TSUTOMU
<a href="#">07444961</a>	<a href="#">5177401</a>	150	12/04/1989	PHOSPHOR AND CATHODE-RAY TUBE USING THE SAME	YAMADA, TSUTOMU
<a href="#">07477527</a>	<a href="#">4987669</a>	150	02/09/1990	METHOD OF TIGHTENING SCREW	YAMADA, TSUTOMU

<u>07748809</u>	Not Issued	166	08/22/1991	POLISHING COMPOSITION	YAMADA, TSUTOMU
<u>07957594</u>	<u>5363013</u>	150	10/06/1992	PHOSPHOR AND CATHODE- RAY TUBE USING THE SAME	YAMADA, TSUTOMU
<u>07988360</u>	<u>5366542</u>	150	12/07/1992	POLISHING COMPOSITION	YAMADA, TSUTOMU
<u>08017003</u>	Not Issued	166	02/12/1993	DIENE POLYMER HAVING FUNCTIONAL GROUPS, AND RUBBER COMPOSITION CONTAINING IT	YAMADA, TSUTOMU
<u>08096052</u>	<u>5397933</u>	250	07/22/1993	LASER DIODE DRIVING CIRCUIT HAVING A TEMPERATURE COMPENSATION CIRCUIT	YAMADA, TSUTOMU
<u>08115037</u>	<u>5430095</u>	150	09/01/1993	RUBBER COMPOSITION CONTAINING A TERMINALLY- FUNCTIONALIZED LOW MOLECULAR WEIGHT DIENE POLYMER	YAMADA, TSUTOMU
<u>08120240</u>	Not Issued	161	09/14/1993	DIENE POLYMER HAVING FUNCTIONAL GROUPS, AND RUBBER COMPOSITION HAVING IT	YAMADA, TSUTOMU
<u>08521492</u>	<u>5600202</u>	250	08/30/1995	GREEN-EMITTING PHOSPHOR AND CATHODE-RAY TUBE EMPLOYING IT	YAMADA, TSUTOMU
<u>08911505</u>	<u>6274414</u>	150	08/14/1997	LASER ANNEAL METHOD OF A SEMICONDUCTOR LAYER	YAMADA, TSUTOMU
<u>09024855</u>	<u>6215154</u>	150	02/13/1998	THIN FILM TRANSISTOR AND METHOD OF FABRICATING THE SAME	YAMADA, TSUTOMU
<u>09043517</u>	<u>6038615</u>	150	03/23/1998	INPUT/OUTPUT DEVICE FOR CONNECTION AND DISCONNECTION OF ACTIVE LINES	YAMADA, TSUTOMU
<u>09049353</u>	<u>6750086</u>	150	03/27/1998	SEMICONDUCTOR DEVICE HAVING A SEMICONDUCTOR THIN FILM CONTAINING LOW CONCENTRATION OF UNBOUND HYDROGEN ATOMS AND METHOD OF MANUFACTURING THE SAME	YAMADA, TSUTOMU
<u>09114813</u>	<u>6133074</u>	150	07/13/1998	THIN FILM TRANSISTOR AND METHOD OF FABRICATING THE SAME	YAMADA, TSUTOMU
<u>09148331</u>	<u>6166733</u>	150	09/04/1998	INDEX INDICATOR, INDEX	YAMADA,

				DISPLAY METHOD AND RECORDING MEDIUM STORING INDEX INDICATOR PROGRAM	TSUTOMU
<u>09151081</u>	<u>6451636</u>	150	09/10/1998	SEMICONDUCTOR DEVICE AND DISPLAY DEVICE HAVING LASER-ANNEALED SEMICONDUCTOR ELEMENT	YAMADA, TSUTOMU
<u>09161870</u>	<u>6265730</u>	150	09/28/1998	THIN-FILM TRANSISTOR AND METHOD OF PRODUCING THE SAME	YAMADA, TSUTOMU
<u>09162836</u>	<u>6191452</u>	150	09/29/1998	THIN FILM TRANSISTOR HAVING A STOPPER LAYER	YAMADA, TSUTOMU
<u>09291538</u>	Not Issued	161	04/14/1999	LASER ANNEAL METHOD OF A SEMICONDUCTOR LAYER	YAMADA, TSUTOMU
<u>09324138</u>	<u>6628363</u>	150	06/02/1999	THIN FILM TRANSISTOR HAVING A COVERED CHANNEL AND DISPLAY UNIT USING THE SAME	YAMADA, TSUTOMU
<u>09326288</u>	<u>6252248</u>	150	06/07/1999	THIN FILM TRANSISTOR AND DISPLAY	YAMADA, TSUTOMU
<u>09368237</u>	<u>6587216</u>	150	08/04/1999	IMAGE-FORMING METHOD AND DEVICE	YAMADA, TSUTOMU
<u>09451457</u>	<u>6246179</u>	150	11/30/1999	EMISSIVE ELEMENT AND DISPLAY DEVICE USING SUCH ELEMENT	YAMADA, TSUTOMU
<u>09463757</u>	Not Issued	161	02/01/2000	Real-time communication apparatus and system	YAMADA, TSUTOMU
<u>09487004</u>	<u>6781155</u>	150	01/19/2000	ELECTROLUMINESCENCE DISPLAY DEVICE WITH A DOUBLE GATE TYPE THIN FILM TRANSISTOR HAVING A LIGHTLY DOPED DRAIN STRUCTURE	YAMADA, TSUTOMU
<u>09493893</u>	<u>6501448</u>	150	01/28/2000	ELECTROLUMINESCENCE DISPLAY DEVICE WITH IMPROVED DRIVING TRANSISTOR STRUCTURE	YAMADA, TSUTOMU
<u>09499897</u>	<u>6289407</u>	150	02/08/2000	Input/output device for connection and disconnection of active lines	YAMADA, TSUTOMU
<u>09510853</u>	<u>6724149</u>	150	02/23/2000	EMISSIVE DISPLAY DEVICE AND ELECTROLUMINESCENCE DISPLAY DEVICE WITH UNIFORM LUMINANCE	YAMADA, TSUTOMU
<u>09512733</u>	<u>6366025</u>	150	02/24/2000	Electroluminescence display	YAMADA,

				apparatus	TSUTOMU
<a href="#">09519879</a>	<a href="#">6183656</a>	250	03/06/2000	Method of detecting end point of polishing of wafer and apparatus for detecting end point of polishing	YAMADA, TSUTOMU
<a href="#">09532283</a>	<a href="#">6794675</a>	150	03/23/2000	ORGANIC ELECTROLUMINESCENCE DISPLAY WITH IMPROVED CONTACT CHARACTERISTICS	YAMADA, TSUTOMU
<a href="#">09542200</a>	<a href="#">6613618</a>	150	04/04/2000	THIN-FILM TRANSISTOR AND METHOD OF PRODUCING THE SAME	YAMADA, TSUTOMU
<a href="#">09656482</a>	<a href="#">6833668</a>	150	09/07/2000	SEALING STRUCTURE FOR ELECTROLUMINESCENCE DEVICE	YAMADA, TSUTOMU
<a href="#">09660226</a>	<a href="#">6914900</a>	150	09/12/2000	METHOD AND APPARATUS FOR CONNECTING COMMUNICATION DEVICE VIA IP NETWORK	YAMADA, TSUTOMU
<a href="#">09670679</a>	<a href="#">6590337</a>	150	09/27/2000	SEALING STRUCTURE FOR DISPLAY DEVICE	YAMADA, TSUTOMU
<a href="#">09670680</a>	<a href="#">6703992</a>	150	09/27/2000	EL DISPLAY DEVICE WITH INTER-LINE INSULATION	YAMADA, TSUTOMU
<a href="#">09672929</a>	<a href="#">6522079</a>	150	09/28/2000	ELECTROLUMINESCENCE DISPLAY DEVICE	YAMADA, TSUTOMU
<a href="#">09672930</a>	<a href="#">6690110</a>	150	09/28/2000	LINE STRUCTURE IN ELECTROLUMINESCENCE DISPLAY DEVICE	YAMADA, TSUTOMU
<a href="#">09679097</a>	Not Issued	121	10/04/2000	Color display device	YAMADA, TSUTOMU

[Search and Display More Records.](#)

<b>Search Another: Inventor</b>	<b>Last Name</b>	<b>First Name</b>	<input type="button" value="Search"/>
	<input type="text" value="yamada"/>	<input type="text" value="tsutomu"/>	

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)